



Screw Compressor APS 3 Basic G2 Combi 10 bar 3 hp/2.2 kW 294 l/min 200 l

362903



Product details

SKU	362903
EAN	8712418399875
Weight (kg)	165 kg
Length (mm)	1,430 mm (1.43 m)
Width (mm)	600 mm (6 dm)
Height (mm)	1,260 mm (1.26 m)
Drive	V-belt driven
Start	Direct
Motor Type	AC
Motor efficiency class	IE3
Air-end	C43
Stages	1
Control panel	ON/OFF
Air receiver	Yes
Capacity air receiver (l)	200
Galvanized tank	No
Dryer	No
Workload (labor/rest %)	100/0
Minimum working pressure (bar)	8 bar
Noise level dB(A) (0 m)	61
Noise level dB(A) (4 m)	41
Main air connection (")	3/4
Minimum ambient temperature (°C)	5
Maximum ambient temperature (°C)	40
Oilfree	No
Oil capacity (l)	2.50

Plug type	EU
Manufacturer	Airpress Polska Sp. z o.o.
Motor power (hp / kW)	3.0 HP / 2.2 kW
Free air delivery (l/min)	294 L/m (4.9 L/s)
Free air delivery (m3/h)	17.64 m ³ /h (4.9 dm ³ /s)
Voltage (V)	400 V / 50 Hz / 3 Ph
Maximum pressure (bar)	10
Variable speed (IVR)	No





Trykluftshop ApS - 9200 Aalborg SV - Denmark + 82 10 70 20

www.trykluftshop.dk